

Charging Handle, Extended (PN 04.104) for

o Beretta CX4 Storm

Thank you for choosing a high-quality **TECTAL** product!

The *extended charging handle* is 100% “Made in Austria” and was developed with a considerable amount of practical testing in the IPSC - PCC class. As a result, the *extended charging handle* offers the following benefits:

- ✓ Extended by 10mm thereby allowing for easier and faster handling
- ✓ Ergonomic polymer grip which can be changed easily if required. The grip is made of an impact resistant polymer which copes with standard gun cleaners and oils.
- ✓ The grip insert / bolt is made from stainless steel for longevity and protrudes far into the grip thereby providing excellent strength. The slightly increased mass compared to the original part does not impede on the proper function of the gun.



Supplied Parts:

- 1 pc. **TECTAL Charging Handle, Extended**

INSTALLATION - PREPARATION

1. **Before maintaining or working on any firearm always ensure that it is unloaded and safe!**

While pointing the firearm in a safe direction remove any magazine from the firearm and ascertain it is unloaded by locking the slide to the rear and visually inspecting the chamber before working on or cleaning it! If loaded follow the proper procedures to unload the firearm safely!



Firearms Safety is your responsibility!

INSTALLATION

Required tools:

- ---

The extended charging handle is installed in the course of the normal disassembly / assembly procedure of the CX4 acc. to the original manual by simply replacing the original charging handle.

Note:

- Attention has been paid to reducing the **play between the extended charging handle and the mounting hole in the bolt.**
- As such it may occur on some rifles that the extended charging handle is more difficult to install as the tight fit allows air to be trapped in the mounting hole which will only escape slowly.
 - Guns having a larger mounting hole in the bolt originally or through wear may exhibit play of the charging handle.
 - Each *extended charging handle* was test fitted to a test rifle before final processing.

→ The cuts in the *extended charging handle* which slide in the slot of the upper polymer receiver may slightly contact the top and/or bottom of the slot depending on the mould quality of the individual receiver. If this occurs it is recommended to deburr and/or lightly chamfer the slot with a small file or a fine grit sandpaper.

NOTES ON INSTALLATION, MAINTENANCE AND USE

INSTALLATION



See “Note” on pages 2 and 3

MAINTENANCE AND USE

- During maintenance it is sufficient to wipe the *extended charging handle* clean. It is neither necessary nor recommended to use aggressive solvents or abrasive tools for cleaning!
- Some play between the *extended charging handle* and the hole in the bolt is necessary for mounting purposes and may over time slightly increase due to the reciprocating charging handle design and repeated removal and installation during maintenance. Increased play from usage related wear is not considered a defect.

In case of any questions please contact us at

office@tectal.at

© 2019 TECTAL GmbH, A-4431 Haidershofen, Austria

www.tectal.at

This manual or parts thereof may not be used, reproduced or published without express written permission of TECTAL GmbH.